



DECCAN EXPLOTECH PVT. LTD.

Manufacturers of Slurry & Emulsion Explosives

'Amrut Chambers', F. C. Road, 1216/7, Shivajinagar, Pune - 411 004. Maharashtra State, India.

Tel - 0091- 20 - 25532142

www.deccanfuse.com

MATERIAL SAFETY DATA SHEET

1. **PRODUCT IDENTIFICATION**: - DECCAN BOOST
EMULSION EXPLOSIVES.

2. **INGREDIENTS**: -

Ammonium Nitrate
Inorganic Oxidisers
Special Emulsifier
Waxes
Gassing Agent

3. **CHARACTERISTICS**:-

Deccan Boost is a high strength, non permitted cartridge emulsion explosive which gives excellent fragmentation due to its high VOD. It has good water resistance capacity and suitable for use in watery holes.

4. **PROPERTIES**: -

- a) Deccan Boost does not contain any headache causing ingredients.
- b) Appearance – Light Pink mixture packed in plastic cartridges.
- c) Odour – Mild odour.
- d) Solubility – Insoluble in water
- e) Reactivity – Detonation may occur from heavy impact or excessive heating particularly under confinement. Avoid all contact with other chemicals.

5. **SPECIFICATIONS**: -

a) Type	Emulsion Explosives
b) Classification	Class II explosives
c) Sensitivity	Sensitive to detonator
d) Density	1.15 (± 0.05) gm/cc
e) VOD	4500 (± 500) m/sec
f) Shelf life	3 Months



DECCAN EXPLOTECH PVT. LTD.

Manufacturers of Slurry & Emulsion Explosives

'Amrut Chambers', F. C. Road, 1216/7, Shivajinagar, Pune - 411 004. Maharashtra State, India.

Tel - 0091- 20 - 25532142

www.deccanfuse.com

6 PACKING: -

The material is packed in HDPE cartridges of 83mm/125mm and are clipped with aluminium wire on both ends. These cartridges are packed in card board boxes of 25 Kgs. each.

7.APPLICATION: -

Deccan Boost is used in general purpose blasting works such as site leveling, stone quarries and other civil construction works. Among mining industry, it is used in removal of overburden.

8.HEALTH HAZARD INFORMATION: -

Acute effects – No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet. Swallowing can result in nausea, vomiting and gastric.

Eye – Causes moderate irritation in the eye.

Skin – Material should be wiped from the skin and then wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. If irritation occurs, seek medical advice.

Advice to Doctor

Treat as per exposure to Nitrates. Nitrates can have a smooth muscle relaxant effect, which can result in hypertension.

9. PERSONAL PROTECTION: -

Avoid repeated and prolonged skin contact. Wear standard safety shoes.
Always wash hands before eating and drinking.



DECCAN EXPLOTECH PVT. LTD.

Manufacturers of Slurry & Emulsion Explosives

'Amrut Chambers', F. C. Road, 1216/7, Shivajinagar, Pune - 411 004. Maharashtra State, India.

Tel - 0091- 20 - 25532142

www.deccanfuse.com

10. SAFETY PRECAUTIONS IN HANDLING, STORAGE AND TRANSPORT: -

- a) To be stored in dry location, protected from excess heat.
- b) No smoking, no naked flames or sparks and no articles of flammable nature should be present nearby.
- c) No unauthorized person, no child of below 16 yrs. of age and no person who is in the state of intoxication shall be employed for handling, loading, unloading and transportation of explosives.
- d) Deccan Boost should be stored in authorized magazines only.
- e) The boxes should be handled with care.
- f) Detonators should not be stored or transported along with Deccan Boost.
- g) While inserting detonator into the Deccan Boost, excess force should not be applied.
- h) The boxes should be stored on wooden battens only.
- i) Deccan Boost can be transported along with Detonating Cord.

11. PRODUCT DETERIORATION: -

The process of deterioration of this material is a gradual crystallization of the composition, generally starting from the outside and moving towards centre. After prolonged storage, a slight crusty shell begins to be apparent when the cartridges are squeezed. The product should be test fired before use.

12. SPILLS: -

Shut off all ignition sources. Clear off the area from unauthorized personnel. In case of transport accident, notify the local police station/ authorities.



DECCAN EXPLOTECH PVT. LTD.

Manufacturers of Slurry & Emulsion Explosives

'Amrut Chambers', F. C. Road, 1216/7, Shivajinagar, Pune - 411 004. Maharashtra State, India.

Tel - 0091- 20 - 25532142

www.deccanfuse.com

13. DISPOSAL: -

Small quantities of damaged or deteriorated material may be destroyed by inclusion in a blast hole containing good explosives.

14. FIRE HAZARDS: -

In case of fire, if actual explosive is not burning, carefully remove explosives as much as possible to a safe distance. If explosives are burning, evacuate area immediately. Do not fight fire.

Explosives decompose while burning, emitting white fumes of Nitrous Oxide.

15. OTHER INFORMATION: -

The SAFETY DATA SHEET summarizes the health and safety hazard information of the product and in particular how to safely handle and use the product in the workplace. Since DEXPL cannot anticipate or control the conditions under which the product may be used, each user must prior to usage, review the SAFETY DATA SHEET.

If clarification or further information is needed, the user should contact DEXPL, Yawat/Pune.



DECCAN EXPLOTECH PVT. LTD.

Manufacturers of Slurry & Emulsion Explosives

'Amrut Chambers', F. C. Road, 1216/7, Shivajinagar, Pune - 411 004. Maharashtra State, India.

Tel - 0091- 20 - 25532142

www.deccanfuse.com

16. STATUTORY INFORMATION:

(i) For indigenous market, as per the Explosives rules 1983, Govt of India.

- a) Safety distance category: **zz**
- b) Class 2 Div. NIL
- c) Supplies against furnishing Form RE-11, duly supported by a Photostat copy of License, granted by Department of Explosives to Store and sell/use Class 2 Explosive, Profile & Authorisation letter as per PESO.

PESO Details

Brand ID	1631
Class	Class II
CDA	83mm

(ii) For overseas markets

- a) UN Classification:

Class:	1
Division:	1.1 & 1.5
Type:	D
UN No.:	0084

- b) Permission of buyer's Government is necessary in pursuance with the Explosives Rules of respective country, for import of explosives.